

Rooder ROODER TECHNOLOGY LIMITED

Add:1503, YFHC Science and Technology Park Guansheng 5th Road 518110 Longhua Shenzhen China.

To:		Date:	
Tel: +86 13632905138	Email: rooder@roodergroup.com	From:	Gavin Lee

Proforma Invoice



Rooder Jinma1000

No.	Model with standard	EXW unit	QTY(Unit)	Totally
1	Jinma1000 Electric Vehicle (80Ah Lead Acid Battery+2200w AC Motor)	\$3,250.00	8	\$26,000.00

Optional Items&price

1	3000W Motor	+263USD		
2	Cancel car charger	-150USD		
3	Trailer hook	+113USD		
4	Rotatable seat	+113USD		
Total EXW Price				\$26,000.00

Note	1. Validity of offer: 10 days, and calculated according to the real-time exchange rate. The prices vary according to changes in the exchange rate. 2.Payment Term: 50% advance payment, the balance will be paid before delivery. 3.Delivery Time: 30 days after receive the advance payment. 4.Packing: 4 Units for 1*20GP; 8 Units for 1*40GP; 14 Units for 1*40HQ.
------	--

Standard Configuration

No.		Item	Jinma1000
1	Parameter	L*W*H (mm)	2160*1150*1680
2		Wheel Base (mm)	1555
3		Max. Speed (km/h)	≥45
4		Max. Range (km)	95
5		Capacity (person)	3
6		Curb Weigh (kg)	390
7		Min.Ground Clearance (mm)	160
8		Steering Mode	Middle Handlebar
9	Power System	A/C Motor	60V 2200W
10		Battery	80Ah Lead Acid Battery
11		Charging Time	4-5 hrs (220V)
12		Charger	Intelligent Charger
13	Brake System	Type	Hydraulic System
14		Front	Disc
15		Rear	Disc
16		Brake way	Handlebar brake
17	Suspension System	Front	Independent Double Wishbone
18		Rear	Integrated Rear Axle
19	Wheel Suspension	Tyre	Front 120/70-R12 Rear 135/70-R12
20		Wheel Hub	Aluminum Alloy Hub

21	Function Device	Mutil-media	MP5+Reverse Camera, Plus Bluetooth,USB connector
22		Electric Heater	60V 800W
23		Central Lock	Auto Level
24		One Button Start	Auto Level
25		Electric Door&Window	2&2
26		LED light system	Head&rear light,Turn light,Brake light,Reverse light
27		High and low speed switch	1
28		Wiper	Electric
29		Safety Belt	Front and rear safety belts
30		Sunvisor,Interior mirror	2
31		`Mat	Carpet on whole vehicle
32		LCD display	Voltmeter.power
Kindly Note that all configuration is only for your reference in accorance with EEC homologation.			

Rooder**ROODER TECHNOLOGY LIMITED**

Add:1503, YFHC Science and Technology Park Guansheng 5th Road 518110 Longhua Shenzhen China.

To:**Date:****Tel:** [+86 13632905138](tel:+8613632905138)Email: rooder@roodergroup.com**From**

Gavin Lee

Proforma Invoice**Rooder Jinma1001 with EEC L2e-P**

No.	Model with standard	EXW unit	QTY(Unit)	Totally
1	Jinma1001 Electric Vehicle (105Ah LiFePo4 Battery with BMS& Fast Charging System (2-3 hours)+3000 AC Motor)	\$5,000.00	8	\$40,000.00

Optional Items&price

1	4000W Motor	+175USD		
2	1:8 rear axle for high speed	+88USD		
3	Rotatable seat	+113USD		
4	Trailer hook	+113USD		
Total EXW Price				\$40,000.00

Note

1. Validity of offer: 10 days, and calculated according to the real-time exchange rate. The prices vary according to changes in the exchange rate.
2. Payment Term: 50% advance payment, the balance will be paid before delivery.
3. Delivery Time: 30 days after receive the advance payment.
4. Packing: 4 Units for 1*20GP; 8 Units for 1*40HQ

Standard Configuration

No.		Item	Jinma1001
1	Parameter	L*W*H (mm)	2160*1150*1680
2		Wheel Base (mm)	1555
3		Max. Speed (km/h)	≥45
4		Max. Range (km)	120
5		Capacity (person)	3
6		Curb Weigh (kg)	310
7		Min.Ground Clearance (mm)	160
8		Steering Mode	Middle Handlebar
9	Power System	A/C Motor	60V 3000W
10		Lithium Battery	105Ah LiFePo4 Battery with BMS& Fast Charging System
11		Charging Time	2-3 hrs (220V)
12		Charger	Intelligent Charger
13	Brake System	Type	Hydraulic System
14		Front	Disc
15		Rear	Disc
16		Brake way	Handlebar brake
17	Suspension	Front	Independent Double Wishbone

18	System	Rear	Integrated Rear Axle
19	Wheel	Tyre	Front 120/70-R12 Rear135/70-R12
20	Suspension	Wheel Hub	Aluminum Alloy Hub
21	Function Device	Mutil-media	MP5+Reverse Camera, Plus Bluetooth,USB connector
22		Electric Heater	60V 800W
23		Central Lock	Auto Level
24		One Button Start	Auto Level
25		Electric Door&Window	2&2
26		LED light system	Head&rear light,Turn light,Brake light,Reverse light
27		Dshboard,LCD display	Voltmeter,power meter,kilometer
28		High and low speed switch	1
29		Wiper	Electric
30		Safety Belt	Front and rear safety belts
31		Sunvisor,Interior mirror	2
32		`Mat	Carpet on whole vehicle
Kindly Note that all configuration is only for your reference in accordance with EEC homologation.			

Rooder ROODER TECHNOLOGY LIMITED

Add:1503, YFHC Science and Technology Park Guansheng 5th Road 518110 Longhua Shenzhen China.

To:		Date:	
Tel: +86 13632905138	Email: rooder@roodergroup.com	From:	Gavin Lee

Proforma Invoice



Rooder Jinma1002 with EEC L6e-BP

No.	Model with standard	EXW unit	QTY(Unit)	Totally
1	Jinma1002 Electric Vehicle with Cargo Box (105Ah LiFePo4 Battery with BMS& Fast charging system +3000W Motor)	\$5,813.00	8	\$46,504.00

Optional Items&price

1	206Ah LiFePo4 Battery Battery with BMS& Fast charging system (3-5 hours) 180-200KM	+1875 USD		
2	Aliumn materials hopper	-200USD		
3	Cellular panel materials cargo box with cooling system -18℃	+1000 USD		
4	4000W Motor	+175USD		
5	1:8 rear axle for high speed	+88USD		
6	Trailer hook	+135USD		
7	Rotatable seat	+135USD		

Total EXW Price \$46,504.00

- Note
1. Validity of offer: 10 days, and calculated according to the real-time exchange rate. The prices vary according to changes in the exchange rate.
 - 2.Payment Term: 50% advance payment, the balance will be paid before delivery.
 - 3.Delivery Time: 30 days after receive the advance payment.
 - 4.Packing: 2 Units for 1*20GP ; 8 Units for 1*40HQ

Standard Configuration

No.		Item	Jinma1002
1	Parameter	L*W*H (mm)	2750*1200*1760
2		Wheel Base(mm)	1930
3		Min.Ground Clearance (mm)	150
4		Curb Weight (kg)	400
5		Max. Speed(km/h)	45
6		Max. Range (km)	110
7		Capacity (person)	1
8	Power System	Cargo Box :Basalt fiber materials.	880*1160*995mm
9		Rated Load(kg)	300
10		Steering Mode	Middle Handlebar
11		A/C Motor	3000W
12		Lithium Battery	105Ah LiFePo4 Battery
13		Charging Time	2-3 hrs (220V)
14		Charger	Intelligent Charger
15		Type	Hydraulic System

16	Brake System	Front	Disc
17		Rear	Disc
18		Brake way	Handlebar brake
19	Suspension System	Front	Independent Double
20		Rear	Integrated Rear Axle
21	Wheel Suspension	Tyre	Front 120/70-R12 Rear 145/70-R12
22		Wheel Hub	Aluminum Alloy Hub
23	Function Device	Mutil-media	MP5+Reverse Camera, Plus Bluetooth USB connector
24		Electric Heater	60V 800W
25		Central Lock	Auto Level
26		One Button Start	Auto Level
27		Electric Door&Window	2&2
28		Dashboard,LED light system	Head&rear light, Turn light, Brake light, Reverse light
29		LCD display	Voltmeter, power
30		High and low speed switch	1
31		Seats	Genuine Leather
32		Safety Belt	Front and rear safety belts
33		Sunvisor, Interior mirror	2
34		Wiper	Electric
35		Mat	Carpet on whole vehicle
36		high and low speed switch (for 3000w motor)	1
Kindly Note that all configuration is only for your reference in accordance with EEC homologation.			

Rooder ROODER TECHNOLOGY LIMITED

Add:1503, YFHC Science and Technology Park Guansheng 5th Road 518110 Longhua Shenzhen China.

To:		Date:	
Tel: +86 13632905138	Email: rooder@roodergroup.com	From:	Gavin Lee

Proforma Invoice



Rooder Jinma1003 (without EEC, NO coc)

No.	Model with standard	EXW unit	QTY(Unit)	Totally
1	Jinma1003 Electric Vehicle with Takeaway Box (105Ah LiFePo4 Battery with BMS& Fast charging system +3000W Motor)	\$5,750.00	8	\$46,000.00

Optional Items&price

2	Hopper 532*1159*400mm	-280USD		
3	4000W Motor	+175USD		
4	1:8 rear axle for high speed	+88USD		
5	Trailer hook	+135USD		
6	Rotatable seat	+135USD		
Total EXW Price				\$46,000.00

- Note
1. Validity of offer: 10 days, and calculated according to the real-time exchange rate. The prices vary according to changes in the exchange rate.
 2. Payment Term: 50% advance payment, the balance will be paid before delivery.
 3. Delivery Time: 30 days after receive the advance payment.
 4. Packing: 2 Units for 1*20GP ; 8 Units for 1*40HQ

Standard Configuration

No.		Item	Jinma1003	
1	Parameter	L*W*H (mm)	2360*1260*1700	
4		Curb Weight (kg)	360	
5		Max. Speed(km/h)	45	
6		Max. Range (km)	130	
7		Capacity (person)	1	
8		Cargo Box/ Takeaway box	532*1159*1050	
9		Rated Load(kg)	220	
10		Steering Mode	Middle Handlebar	
11		Power System	A/C Motor	3000W
12			Lithium Battery	105Ah LiFePo4 Battery
13	Charging Time		2-3 hrs (220V)	
14	Charger		Intelligent Charger	
15	Brake System	Type	Hydraulic System	
16		Front	Disc	
17		Rear	Disc	
18		Brake way	Handlebar brake	

19	Suspension System	Front	Independent Double Wishbone
20		Rear	Integrated Rear Axle
21	Wheel Suspension	Tyre	Front 120/70-R12 Rear145/70-R12
22		Wheel Hub	Aluminum Alloy Hub
23	Function Device	Mutil-media	MP5+Reverse Camera, Plus Bluetooth,USB connector
24		Electric Heater	60V 800W
25		Central Lock	Auto Level
26		One Button Start	Auto Level
27		Electric Door&Window	2&2
28		Dashboard,LED light system	Head&rear light,Turn light,Brake light,Reverse light
29		LCD display	Voltmeter,power meter,kilometer
30		High and low speed switch	1
31		Seats	Genuine Leather
32		Safety Belt	Front and rear safety belts
33		Sunvisor,Interior mirror	2
34		Wiper	Electric
35		Mat	Carpet on whole vehicle
36		high and low speed switch (for 3000w motor)	1

Rooder ROODER TECHNOLOGY LIMITED

Add:1503, YFHC Science and Technology Park Guansheng 5th Road 518110 Longhua Shenzhen China.

To:		Date:	
Tel: +86 13632905138	Email: rooder@roodergroup.com	From:	Gavin Lee

Proforma Invoice



Rooder Jinma2000

No.	Model with standard	EXW unit	QTY(Unit)	Totally
1	Jinma2000 Electric Vehicle (80Ah Lead Acid Battery +3000W AC Motor)	\$3,625.00	8	\$29,000.00

Optional Items&price

1	air conditioner	+513USD		
2	4000W Motor	+175USD		
3	Rear Disc Brake	+50 USD		
4	1:8 rear axle for high speed	+88USD		
5	high and low speed switch (for 3000w motor)	+38 USD		
6	Trailer hook	+125USD		
7	Cancel Car charger	-150USD		
Total EXW Price				\$29,000.00

- Note
1. Validity of offer: 10 days, and calculated according to the real-time exchange rate. The prices vary according to changes in the exchange rate.
 2. Payment Term: 50% advance payment, the balance will be paid before delivery.
 3. Delivery Time: 30 days after receive the advance payment.
 4. Packing: 4 Units for 1*20GP ; 8 Units for 1*40GP; 12 Units for 1*40 HQ

Standard Configuration

No.		Item	Jinma2000
1	Parameter	L*W*H (mm)	2390*1200*1700
2		Wheel Base(mm)	1580
3		Min.Ground Clearance (mm)	180
4		Curb Weight (kg)	500
5		Max. Speed(km/h)	45
6		Max. Range (km)	90
7		Capacity (person)	3
8		Rated Load(kg)	180
9		Steering Mode	Middle Steering Wheel
10		A/C Motor	60V 3000W

11	Power System	Battery	100Ah Lead Acid Battery
12		Charging Time	5-6hrs (220V)
13		Charger	Intelligent Charger
14	Brake System	Type	Hydraulic System
15		Front	Disc
16		Rear	Drum
17	Suspension System	Front	Independent Double Wishbone
18		Rear	Integrated Rear Axle
19	Wheel	Tyre	135/70-R12.135/70-R12
20	Suspension	Wheel Hub	Aluminum Alloy Hub
21	Function Device	Mutil-media	MP5+Reverse Camera, Plus Bluetooth,USB connector
22		Electric Heater	60V 800W
23		Central Lock	Auto Level
24		One Button Start	Auto Level
25		Electric Door&Window	2&2
26		LED light system	Head&rear light,Turn light,Brake light,Reverse light
27		Seats	Genuine Leather
28		Safety Belt	Front and rear safety belts
29		Sunvisor,Interior mirror	2
30		Wiper	Electric
31		`Mat	Carpet on whole vehicle
32		LCD display	volumeter,power meter kilometer
Kindly Note that all configuration is only for your reference in accordance with EEC homologation.			

Rooder ROODER TECHNOLOGY LIMITED

Add:1503, YFHC Science and Technology Park Guansheng 5th Road 518110 Longhua Shenzhen China.

To:		Date:	
Tel: +86 13632905138	Email: rooder@roodergroup.com	From:	Gavin Lee

Proforma Invoice



Rooder Jinma2001 with EEC L6e

No.	Model with standard	EXW unit	QTY(Unit)	Totally
1	Jinma2001 Electric Vehicle (105Ah LiFePo4 Battery with BMS& Fast Charging System(2-3 hours) +3000W AC Motor	\$5,250.00	8	\$42,000.00

Optional Items&price

1	air conditioner	+513 USD		
2	4000W Motor	+175 USD		
3	Rear Disc Brake	+50 USD		
4	1:8 rear axle for high speed	+88USD		
5	high and low speed switch (for 3000w motor)	+38 USD		
6	Trailer hook	+135USD		
Total EXW Price				\$42,000.00

- Note
1. Validity of offer: 10 days, and calculated according to the real-time exchange rate. The prices vary according to changes in the exchange rate.
 2. Payment Term: 50% advance payment, the balance will be paid before delivery.
 3. Delivery Time: 30 days after receive the advance payment.
 4. Packing: 4 Units for 1*20GP ; 8 Units for 1*40GP; 12 Units for 1*40 HQ

Standard Configuration

No.		Item	Jinma2001
1	Parameter	L*W*H (mm)	2390*1200*1700
2		Wheel Base(mm)	1580
3		Min.Ground Clearance (mm)	180
4		Curb Weight (kg)	416
5		Max. Speed(km/h)	45
6		Max. Range (km)	110
7		Capacity (person)	3
9		Rated Load(kg)	180
10		Steering Mode	Middle Steering Wheel
11		A/C Motor	60V 3000W
12	Power System	Lithium Battery	105Ah LiFePo4 Battery with BMS& Fast Charging System
13		Charging Time	2-3 hrs (220V)
14		Charger	Intelligent Charger
15	Brake System	Type	Hydraulic System
16		Front	Disc
17		Rear	Drum
18	Suspension System	Front	Independent Double
19		Rear	Integrated Rear Axle

20	Wheel Suspension	Tyre	135/70-R12
21		Wheel Hub	Aluminum Alloy Hub
22	Function Device	Mutil-media	MP5+Reverse Camera, Plus Bluetooth,USB connector
23		Electric Heater	60V 800W
24		Central Lock	Auto Level
25		One Button Start	Auto Level
26		Electric Door&Window	2&2
27		LED light system	Head&rear light,Turn light,Brake light,Reverse light
28		LCD display	Voltmeter,power
29		Seats	Genuine Leather
30		Safety Belt	Front and rear safety belts
31		Sunvisor,Interior mirror	2
32		Wiper	Electric
33		Mat	Carpet on whole vehicle
Kindly Note that all configuration is only for your reference in accordance with EEC homologation.			

Rooder ROODER TECHNOLOGY LIMITED

Add:1503, YFHC Science and Technology Park Guansheng 5th Road 518110 Longhua Shenzhen China.

To:		Date:	
Tel: +86 13632905138	Email: rooder@roodergroup.com	From:	Gavin Lee

Proforma Invoice



Rooder jinma2002 with EEC L6e-BP

No.	Model with standard	EXW unit	QTY(Unit)	Totally
1	jinma2002 Electric Vehicle with Cargo Box (105Ah LiFePo4 Battery with BMS& Fast charging system +3000W Motor)	\$5,375.00	8	\$43,000.00

Optional Items&price

1	206Ah LiFePo4 Battery Battery with BMS& Fast charging system (3-5 hours)	+1875USD		
2	air conditioner	+513 USD		
3	Alumnium materials hopper880*1160*400mm	-200USD		
4	Cellular panel materials cargo box with cooling system -18°C	+1000 USD		
5	4000W Motor	+175 USD		
6	5000W Motor	+513 USD		
7	Rear Disc Brake	+50 USD		
8	1:8 rear axle for high speed	+38 USD		
9	high and low speed switch (for 3000w	+135USD		
10	Trailer hook	+135USD		
Total EXW Price				\$43,000.00

- Note
1. Validity of offer: 10 days, and calculated according to the real-time exchange rate. The prices vary according to changes in the exchange rate.
 2. Payment Term: 50% advance payment, the balance will be paid before delivery.
 3. Delivery Time: 30 days after receive the advance payment.
 4. Packing: 2 Units for 1*20GP ; 8 Units for 1*40HQ

Standard Configuration

No.	Parameter	Item	jinma2002
1		L*W*H (mm)	2890*1180*1780
2		Wheel Base(mm)	1840
3		Min.Ground Clearance (mm)	160
4		Curb Weight (kg)	470
5		Max. Speed(km/h)	45
6		Max. Range (km)	100
7		Capacity (person)	1
8		Cargo Box :Basalt fiber materials.	880*1160*995mm
10		Rated Load(kg)	330
11		Steering Mode	Middle Steering Wheel
12		A/C Motor	60V 3000W

13	Power System	Lithium Battery	105Ah LiFePo4 Battery with BMS& Fast charging system
14		Charging Time	2-3 hrs (220V)
15		Charger	Intelligent Charger
16	Brake System	Type	Hydraulic System
17		Front	Disc
18		Rear	Drum
19	Suspension System	Front	Independent Double Wishbone
20		Rear	Integrated Rear Axle
21	Wheel Suspension	Tyre	Front 135/70-R12 Rear 145/70-
22		Wheel Hub	Aluminum Alloy Hub
23	Function Device	Mutil-media	MP5+Reverse Camera, Plus Bluetooth,USB connector
24		Electric Heater	60V 800W
25		Central Lock	Auto Level
26		One Button Start	Auto Level
27		Electric Door&Window	2&2
28		LED light system	Head&rear light,Turn light,Brake light,Reverse light
29		LCD display	Voltmeter,power meter,kilometer
30		Seats	Genuine Leather
31		Safety Belt	Front and rear safety belts
32		Sunvisor,Interior mirror	2
33		Wiper	Electric
34		'Mat	Carpet on whole vehicle
Kindly Note that all configuration is only for your reference in accordance with EEC homologation.			

Rooder ROODER TECHNOLOGY LIMITED

Add:1503, YFHC Science and Technology Park Guansheng 5th Road 518110 Longhua Shenzhen China.

To:		Date:	
Tel:	+86 13632905138	Email:	rooder@roodergroup.com
From:	Gavin Lee		



Rooder Jinma2003 (without EEC, NO coc)

No.	Model with standard	EXW unit	QTY(Unit)	Totally
1	Jinma2003 Electric Vehicle with Takeaway Box (105Ah LiFePo4 Battery with BMS& Fast charging system +3000W Motor)	\$6,375.00	8	\$51,000.00
Optional Items&price				
2	air conditioner	+513 USD		
3	Alumnum materials	-250USD		
4	4000W Motor	+175 USD		
Total EXW Price				\$51,000.00

Note	1. Validity of offer: 10 days, and calculated according to the real-time exchange rate. The prices vary according to changes in the exchange rate. 2.Payment Term: 50% advance payment, the balance will be paid before delivery. 3.Delivery Time: 30 days after receive the advance payment. 4.Packing: 2 Units for 1*20GP ; 8 Units for 1*40HQ
------	--

Standard Configuration

No.		Item	Jinma2003
1	Parameter	L*W*H (mm)	2400*1260*1700
2		Min.Ground Clearance (mm)	160
3		Curb Weight (kg)	400
4		Max. Speed(km/h)	45
5		Max. Range (km)	120
6		Capacity (person)	1
7		Cargo Box	532*1159*1050mm
8		Rated Load(kg)	220
9		Steering Mode	Middle Steering Wheel
10		A/C Motor	60V 3000W
11	Power System	Lithium Battery	105Ah LiFePo4 Battery with BMS& Fast charging system
12		Charging Time	2-3 hrs (220V)
13		Charger	Intelligent Charger
14	Brake System	Type	Hydraulic System
15		Front	Disc
16		Rear	Drum
17	Suspension System	Front	Independent Double
18		Rear	Integrated Rear Axle
19	Wheel	Tyre	Front 135/70-R12
20	Suspension	Wheel Hub	Aluminum Alloy Hub

21	Function Device	Mutil-media	MP5+Reverse
22		Electric Heater	60V 800W
23		Central Lock	Auto Level
24		One Button Start	Auto Level
25		Electric Door&Window	2&2
26		LED light system	Head&rear light, Turn light, Brake light, Reverse
27		LCD display	Voltmeter, power
28		Seats	Genuine Leather
29		Safety Belt	Front and rear safety
30		Sunvisor, Interior mirror	2
31		Wiper	Electric
32		'Mat	Carpet on whole vehicle

Rooder ROODER TECHNOLOGY LIMITED

Add:1503, YFHC Science and Technology Park Guansheng 5th Road 518110 Longhua Shenzhen China.

To:		Date:	
Tel:	+86 13632905138	Email:	rooder@roodergroup.com
From:	Gavin Lee		

Proforma Invoice



Rooder jinma2004 with EEC L7e

No.	Model with standard	EXW unit	QTY(Unit)	Totally
1	jinma2004 Electric Vehicle with Logastic Box (105Ah LiFePo4 Battery with BMS& Fast charging system +4000W Motor)	\$5,875.00	8	\$47,000.00

Optional Items&price

1	206Ah LiFePo4 Battery Battery with	+1875USD		
2	air conditioner	+513 USD		
3	Aluminum materials hopper	-300USD		
	Double door logistics box	+63USD		
5	Cellular panel materials cargo box with cooling system -18°C to -5°C	+1625USD		
6	5000W Motor	+513 USD		
7	Rear Disc Brake	+50 USD		
8	1:8 rear axle for high speed	+38 USD		
9	Trailer hook	+135USD		
Total EXW Price				\$47,000.00

- Note**
1. Validity of offer: 10 days, and calculated according to the real-time exchange rate. The prices vary according to changes in the exchange rate.
 2. Payment Term: 50% advance payment, the balance will be paid before delivery.
 3. Delivery Time: 30 days after receive the advance payment.
 4. Packing: 1 Units for 1*20GP ; 8Units for 1*40HQ

Standard Configuration

No.		Item	jinma2004
1	Parameter	L*W*H (mm)	3600*1345*1765
2		Wheel Base(mm)	2375
3		Min.Ground Clearance (mm)	160
4		Curb Weight (kg)	500
5		Max. Speed(km/h)	52
6		Max. Range (km)	95
7		Capacity (person)	1
8		Cargo Box Size(mm):Cellular panel materials.	1635*1050*1058
9		Rated Load(kg)	550
10		Steering Mode	Middle Steering Wheel
11	Power System	A/C Motor	60V 4000W
12		Lithium Battery	105Ah LiFePo4 Battery
13		Charging Time	2-3 hrs (220V)

14		Charger	Intelligent Charger
15	Brake System	Type	Hydraulic System
16		Front	Disc
17		Rear	Drum
18	Suspension System	Front	Independent Double Wishbone
19		Rear	Integrated Rear Axle
20	Wheel	Tyre	Front 135/70-R12 Rear 145/70-
21	Suspension	Wheel Hub	Aluminum Alloy Hub
22	Function Device	Mutil-media	MP5+Reverse Camera, Plus Bluetooth,USB connector
23		Electric Heater	60V 800W
24		Central Lock	Auto Level
25		One Button Start	Auto Level
26		Electric Door&Window	2&2
27		LED light system	Head&rear light,Turn light,Brake light,Reverse light
28		LCD display	Voltmeter,power meter,kilometer
29		Seats	Genuine Leather
30		Safety Belt	Front and rear safety belts
31		Sunvisor,Interior mirror	2
32		Wiper	Electric
33		Mat	Carpet on whole vehicle
Kindly Note that all configuration is only for your reference in accordance with EEC homologation.			