




Item No	Picture	Description	Package information	EXW Price
CB02 mini		<p>Model: CB02 mini Frame material: Seamless iron alloy frame Tyre size: 16*3 inch fat tire Front fork: ronzilla mechanical Fork Brake type: Front and Rear Disc brake Motor power:48V 350W motor Max speed: 350w 15-25km/h Grade-ability:15-20 degrees Max loading:150 kg Battery: 48V 10Ah, 15Ah lithium battery Range: 10a 10-30 km, 15a 15-45km Charger: 54.6V 2A Charging time: 5-10 hours depends on battery Working temperature: -20~40°C Waterproof standard: IP65 Display: LCD display Front Shock Absorber: Hydraulic shock Fork Rear Shock Absorber: Aluminum alloy spring shock absorber Light system: LED headlight Product net weight: 28kgs Gross weight: 41kgs Certificates: CE, FCC, ROHS, MSDS, UN38.3 Package size: 130×28.5×70cm (L*W*H)</p>	<p>1 piece/carton carton size: 130×28.5×70cm NW:28kg, GW:41kg 0.26CBM/pc</p> <p>Container order: 107pcs in 20GP 261pcs in 40HQ</p>	<p>10a: US\$455 15a: US\$495</p>



<p>CB02</p>		<p>Model: CB02 Frame material: Seamless iron alloy frame Tyre size: 20*4 inch fat tire Front fork: ronzilla mechanical Fork Brake type: Front and Rear Disc brake Motor power:48V 500W motor Max speed: 500w 25-45km/h /h. Grade-ability:15-20 degrees Max loading:150 kg Battery: 48V 10Ah, 15Ah, 20Ah lithium battery Range: 10a 10-30 km, 15a 15-45km, 40a 40-120km. Charger: 54.6V 2A Charging time: 5-10 hours depends on battery Working temperature: -20~40°C Waterproof standard: IP65 Display: LCD display Front Shock Absorber: Hydraulic shock Fork Rear Shock Absorber: Aluminum alloy spring shock absorber Light system: LED headlight Product net weight: 35 kgs Gross weight: 48 kgs Certificates: CE, FCC, ROHS, MSDS, UN38.3 Package size: 138×28.5×88cm (L*W*H)</p>	<p>1 piece/carton carton size: 138×28.5×88cm NW:35kg, GW:48kg 0.35CBM/pc</p> <p>Container order: 80pcs in 20GP 194pcs in 40HQ</p>	<p>10a: US\$475 15a: US\$515 20a: US\$547</p>
<p>cb01a</p>		<p>Model: cb01a Frame material: Seamless iron alloy frame Tyre size: 20*5 inch fat tire Front fork: ronzilla mechanical Fork Brake type: Front and Rear Disc brake Motor power: 48V 500W/1000W motor with spoke wheel Max speed: 500w 25-45km/h, 1000w 25-50km/h /h. Grade-ability: 20 degrees Max loading:150 kg Battery: 48V 10Ah, 15Ah, 20Ah and 40Ah lithium battery Range: 10a 10-30 km, 15a 15-45km, 40a 40-120km. Charger: 54.6V 2A Charging time: 5-10 hours depends on battery Working temperature: -20~40°C Waterproof standard: IP65 Display: LCD display Front Shock Absorber: Hydraulic shock Fork Rear Shock Absorber: NONE Light system: LED headlight Product net weight: 35 kgs Gross weight: 48 kgs Certificates: CE, FCC, ROHS, MSDS, UN38.3 Package size: 158×28×73cm (L*W*H)</p>	<p>1 piece/carton carton size:158×28×73cm NW:35kg, GW:48kg 0.33CBM/pc</p> <p>Container order: 82pcs in 20GP 205pcs in 40HQ</p>	<p>10a: US\$618 15a: US\$648 20a: US\$678 1000w extra \$100</p>

<p>cb01b</p>		<p>Model: cb01b Frame material: Seamless iron alloy frame Tyre size: 20*5 inch fat tire Front fork: ronzilla mechanical Fork Brake type: Front and Rear Disc brake Motor power: 48V 500W/1000W motor with spoke wheel Max speed: 500w 25-45km/h, 1000w 25-50km/h /h. Grade-ability: 20 degrees Max loading:150 kg Battery: 48V 10Ah, 15Ah, 20Ah and 40Ah lithium battery Range: 10a 10-30 km, 15a 15-45km, 40a 40-120km. Charger: 54.6V 2A Charging time: 5-10 hours depends on battery Working temperature: -20~40°C Waterproof standard: IP65 Display: LCD display Front Shock Absorber: Hydraulic shock Fork Rear Shock Absorber: NONE Light system: LED headlight Product net weight: 35 kgs Gross weight: 48 kgs Certificates: CE, FCC, ROHS, MSDS, UN38.3 Package size: 158*28*73cm (L*W*H)</p>	<p>1 piece/carton carton size:158*28*73cm NW:35kg, GW:48kg 0.33CBM/pc</p> <p>Container order: 82pcs in 20GP 205pcs in 40HQ</p>	<p>10a: US\$618 15a: US\$648 20a: US\$678 20a*2: US\$878 1000w extra \$100</p>
<p>r809-s9</p>		<p>Model: r809-s9 Brand Name: Rooder Frame Material: Aluminum Alloy Color: black/silver/red Battery: 22.5AH chinese lithium battery Battery Voltage: 48V (54V) Charger voltage: 100-240V 2A Motor Wattage: 750-1000 W Tyre: 20*4.0 Brake: disc brake Gradeability: 30° Max speed: 45km/h(30 mph); 2. Assisted mode :55km/h (34 mph); mileage of pure electric: 40-70KM mileage of assistance: 80-130KM</p>	<p>1 piece/carton carton size:154*37.5*88cm NW:42kg, GW:52kg 0.5CBM/pc</p> <p>Container order: 56pcs in 20GP 136pcs in 40HQ</p>	<p>750w 22.5a: \$756</p>

r809-s10		<p>Model: r809-s10 Brand Name: Rooder Frame Material: Aluminum Alloy Color: black/silver/red Battery: 25AH-35AH Samsung battery Battery Voltage: 48V (54V) Charger voltage: 100-240V 2A Motor Wattage: 750-1000 W Tyre: 20*4.0 Brake: disc brake Gradeability: 30° Max speed: 45km/h(30 mph); 2. Assisted mode :55km/h (34 mph); mileage of pure electric: 50-120KM mileage of assistance: 90-200KM</p>	<p>1 piece/carton carton size:154×37.5×88cm NW:42kg, GW:52kg 0.5CBM/pc</p> <p>Container order: 56pcs in 20GP 136pcs in 40HQ</p>	<p>750w 25a: \$1110 750w 35a: \$1185 1000w 35a: \$1250</p>
r809-s11		<p>Model: r809-s11 Brand Name: Rooder Frame Material: Aluminum Alloy Color: silver/blue Battery: 22.5AH battery Battery Voltage: 48V (54V) Charger voltage: 100-240V 2A Motor Wattage: 500 W Tyre: 20*3.0 Brake: disc brake Gradeability: 30° Max speed: 32km/h(20 mph); 2. Assisted mode :40km/h (25 mph); mileage of pure electric: 45-70KM mileage of assistance: 80-130KM</p>	<p>1 piece/carton carton size:143×32×74cm NW:36kg, GW:42kg 0.34CBM/pc</p> <p>Container order: 82pcs in 20GP 200pcs in 40HQ</p>	<p>500w 22.5a: \$860</p>
r809-s12		<p>Model: r809-s12 Brand Name: Rooder Frame Material: Aluminum Alloy Color: blue color Battery: 13AH battery Battery Voltage: 48V (54V) Charger voltage: 100-240V 2A Motor Wattage: 500 W Tyre: 20*4.0 Brake: disc brake Gradeability: 30° Max speed: 32km/h(20 mph); 2. Assisted mode :40km/h (25 mph); mileage of pure electric: 40-60KM mileage of assistance: 70-110KM</p>	<p>1 piece/carton carton size:150×34×82cm NW:36kg, GW:42kg 0.41CBM/pc</p> <p>Container order: 68pcs in 20GP 165pcs in 40HQ</p>	<p>2024 NEW MOQ: 500pcs (exclusive agent) 500w 13a: \$688</p>

r809-s2		<p>Brand Name: Rooder Model Number: r809-s2 Frame Material: Aluminum Alloy Color: black Battery: 20AH Battery Voltage: 48V (54V) Charger voltage: 100-240V 2A European standard round plug Motor Wattage: 750 W Gears: Five gears Tyre: CST 26*4.0 Brake: disc brake Gradeability: 30° Max speed: lock 25km/h or unlock 35-45 km/h mileage of pure electric: 45-70KM mileage of assistance: 80-130KM</p>	<p>1 piece/carton carton size:160*24*86cm NW:30kg, GW:38kg 0.33CBM/pc</p> <p>Container order: 82pcs in 20GP 205pcs in 40HQ</p>	<p>10pcs: \$822 80pcs: \$812 200pcs: \$802</p>
r809-s1		<p>Brand Name: Rooder Model Number: r809-s1 Frame Material: Aluminum Alloy Color: black Battery: 15AH Battery Voltage: 48V (54V) Charger voltage: 100-240V 2A European standard round plug Motor Wattage: 750 W Gears: Five gears Tyre: CST 20*4.0 Brake: disc brake Gradeability: 30° Max speed: 45 km/h mileage of pure electric: 40-60KM mileage of assistance: 70-110KM</p>	<p>1 piece/carton carton size:98*44*79cm NW:31kg, GW:38.5kg 0.34CBM/pc</p> <p>Container order: 82pcs in 20GP 200pcs in 40HQ</p>	<p>10pcs: \$728 80pcs: \$718 200pcs: \$708</p>
r809-s3		<p>Brand Name: Rooder Model Number: r809-s3 Frame Material: Aluminum Alloy Color: Yellow&black /all black Battery: 10AH Battery Voltage: 48V (54V) Charger voltage: 100-240V 2A European standard round plug Motor Wattage: 750 W Gears: Five gears Tyre: CST 26*4.0 Brake: disc brake Gradeability: 30° Max speed: 45 km/h mileage of pure electric: 25-35KM mileage of assistance: 40-60KM</p>	<p>1 piece/carton carton size:160*24*86cm NW:30kg, GW:40kg 0.33CBM/pc</p> <p>Container order: 82pcs in 20GP 205pcs in 40HQ</p>	<p>10pcs: \$790 50pcs: \$780 114pcs: \$770</p>

r809-s4		<p>Brand Name: Rooder Model Number: r809-s4 Frame Material: Aluminum Alloy Color: black Battery: 15AH Battery Voltage: 48V (54V) Charger voltage: 100-240V 2A European standard round plug Motor Wattage: 750 W Gears: Five gears Tyre: CST 20*4.0 Brake: disc brake Gradeability: 30° Max speed: 45 km/h mileage of pure electric: 40-60KM mileage of assistance: 70-110KM</p>	<p>1 piece/carton carton size: 98×44×79cm NW:31kg, GW:39kg 0.34CBM/pc</p> <p>Container order: 82pcs in 20GP 200pcs in 40HQ</p>	<p>10pcs: \$708 80pcs: \$698 200pcs: \$688</p>
r809-s5		<p>Brand Name: Rooder Model Number: r809-s5 Frame Material: Aluminum Alloy Color: black Battery: 15AH Battery Voltage: 48V (54V) Charger voltage: 100-240V 2A European standard round plug Motor Wattage: 750 W, option: 750W*2 Gears: Five gears Tyre: CST 20*4.0 Brake: disc brake Gradeability: 30° Max speed: 45 km/h mileage of pure electric: 40-60KM mileage of assistance: 70-110KM</p>	<p>1 piece/carton carton size:98×44×83cm NW:31kg, GW:36kg 0.36CBM/pc</p> <p>Container order: 75pcs in 20GP 186pcs in 40HQ</p>	<p>10pcs: \$790 80pcs: \$780 200pcs: \$770</p>
r809-s6		<p>Brand Name: Rooder Model Number: r809-s6 Frame Material: Aluminum Alloy Color: black / silver-gray Battery: 15AH Battery Voltage: 48V (54V) Charger voltage: 100-240V 2A European standard round plug Motor Wattage: 750 W Gears: Five gears Tyre: CST 26*4.0 Brake: Oil brake Gradeability: 30° Max speed: 45 km/h mileage of pure electric: 40-60KM mileage of assistance: 70-110KM</p>	<p>1 piece/carton carton size:160×24×86cm NW:30kg, GW:37kg 0.33CBM/pc</p> <p>Container order: 82pcs in 20GP 205pcs in 40HQ</p>	<p>10pcs: \$770 52pcs: \$760 114pcs: \$750</p>

r809-s7		<p>Brand Name: Rooder Model Number: r809-s7 Frame Material: Aluminum Alloy Color: silver-gray Battery: 15AH Battery Voltage: 48V (54V) Charger voltage: 100-240V 2A European standard round plug Motor Wattage: 750 W Gears: Five gears Tyre: CST 26*4.0 Brake: disc brake Gradeability: 30° Max speed: 45 km/h mileage of pure electric: 40-60KM mileage of assistance: 70-110KM</p>	<p>1 piece/carton carton size:160×24×86cm NW:30kg, GW:37kg 0.33CBM/pc</p> <p>Container order: 82pcs in 20GP 205pcs in 40HQ</p>	<p>10pcs: \$770 52pcs: \$760 114pcs: \$750</p>
r809-s8		<p>Brand Name: Rooder Model Number: r809-s8 Frame Material: Aluminum Alloy Color: silver-gray Battery: 15AH Battery Voltage: 48V (54V) Charger voltage: 100-240V 2A European standard round plug Motor Wattage: 250-500 W Gears: Five gears Tyre: CST 27.5*2.4/29*2.4 Brake: Oil brake Gradeability: 30° Max speed: 38-42 km/h mileage of pure electric: 40-60KM mileage of assistance: 70-110KM</p>	<p>1 piece/carton carton size:160×24×86cm NW:27kg, GW:35kg 0.33CBM/pc</p> <p>Container order: 82pcs in 20GP 205pcs in 40HQ</p>	<p>10pcs: \$770 52pcs: \$760 114pcs: \$750</p>

1. This quotation doesn't include freight cost and insurance, it's Ex Works Shenzhen price.
2. Payment: 100% payment in advance by Western Union or T/T(bank transfer)
3. Lead Time: MOQ: 10PCS, 3-10 working days. For 40-1000PCS: 10-20 working days
4. Shipping: Sample order (<10pcs): shipped by Air/TNT/Fedex/DHL etc. For volume order: 30 days by sea after loading
5. Warranty: One year free serving for motor and controller from the date of delivery from factory.
6. Valid time: 30 days